

An Introduction to Repoze.Zope2

Plumbing Zope 2 Into The WSGI Pipeline

For the TriZPUG December 2007 Meeting

Chris McDonough, Tres Seaver, Agendaless Consulting



Eggs and WSGI

- WSGI standard begun in 2004, eggs about the same time.
- ✦ Repoze.Zope2 is about:
 - allowing non-Zope developers to take advantage of Zope technologies via WSGI & eggs.
 - ✦ allowing Zope developers to take advantage of WSGI components.

Other Top-Level Packages

- `repoze.grok` -- Allows you to run the Grok application server under the Repoze stack.
- `repoze.plone` -- Allows you to run Plone 3 under the Repoze stack (via `repoze.zope2`)

repoze.zope2

- Reimplementation of Zope 2's ZPublisher to fit into a WSGI stack natively.
- Aims to be 100% backwards compatible with all Zope 2 products.
- Installs all software (including Zope) via eggs.




Dependencies

- repoze.zope2 depends heavily on Ian Bicking's **Paste**, particularly **PasteDeploy**, which provides a declarative syntax for configuring WSGI "pipelines".
- Setuptools.
- Obviously, repoze.zope2 depends on Zope 2.


Repoze In Development

Repoze in Development



Repoze

Repoze in a Deployment



WSGI: Servers, Middleware, and Applications

- Servers accept requests from browsers/clients and pass request data along to applications.
- Servers respond to requests using data returned by the application.
- Applications return responses.
- Middleware is an application that calls "the next" application; functional composition forms a "pipeline".

Middleware Is Cool

- Examples of middleware:
 - ❑ Deliverance, HTML/XML output transformation. Repoze.org.
 - evalerror, catch exceptions and query information about them via a browser.
 - ❑ repoze.tm, move transaction management out of the publisher and into middleware.



Composition via Middleware

- Previously hardcoded bits are now configurable (and disableable), e.g. ConflictError retry policy.
- Different pipelines expected for development vs. deployment (e.g. "evalerror" is useless and dangerous for deployment).
- Non-Zope people can use the middleware.

What's Different

- No effort to make work on Windows (but not actively preventing it).
- `standard_error_message` doesn't do anything (a generic 500/404 error handler in "httpexceptions" replaces it).
- The Zope 2 "error_log" object doesn't log exceptions; a replacement at `'/_error_log_'` is provided (it's middleware).
- "zopectl" is gone, replaced with single-purpose scripts.

Installation

- See <http://repoze.org/quickstart.html>
- Essentially two commands from an internet-connected UNIX system.
- Eggs are downloaded, a "virtualenv" is created that serves as the "sandbox", aka "instance home" for the Zope 2 installation.
- Virtualenv is cool and important.

Starting Repoze.Zope2

- bin/paster serve etc/zope2.ini
- ✦ Show it.
- [pipeline:main] is the most interesting part.

A Tour of the Paste Config File (Middleware)

- `cgitb` -- top-level exception catcher
- `httpexceptions` -- turns special exceptions into HTTP responses
- `retry` -- retries `ConflictErrors`
- `tm` -- performs transaction management
- `vhm_xheaders` -- changes path-related info in environment to `do` virtual hosting.
- `errorlog` -- replacement for Zope2's "error_log"

A Tour of the Paste Config File (Server)

- `egg:repoze.zope2#zserver` is Zope 3's WSGI server.
- Can replace with a reference to any WSGI-compliant server implementation.
- This stanza not used when run under Apache via `mod_wsgi` (need a `.wsgi` file).

Scripts In A Repoze.Zope2 Sandbox

- `addzope2user` -- equivalent to `"zopectl adduser"`.
- `debugzope2` -- equivalent to `"zopectl debug"`
- `runzope2script` -- equivalent to `"zopectl run"`
- Other scripts for other packages are also in `"bin"` (`mkzeoinst`, `virtualenv`, etc).

Sandbox Directories

- Products
 - ✦ bin
 - etc
 - import
 - ✦ include
 - lib
 - ✦ var

Configuration, Log, and Data Files

- Config files are in sandbox etc dir (zope.conf, zope2.ini, site.zcml).
- Log files are not written to disk (they're output to the console by default); change this either in zope.conf or in errorlog configuration.
- Can't put Python packages into "lib/python" in sandbox like old Zope instance home; need to go into site-packages of the sandbox (easy_install).
- Data files (Data.fs) live in var directory of sandbox.

Evalerror Demonstration

- A demonstration of replacing cgitb with evalerror.

Repoze Resources


Home page: <http://repoze.org/>

Subversion: <http://repoze.org/viewcvs>

Bug tracker: <http://bugs.repoze.org/>

Mailing lists: <http://lists.repoze.org/>

IRC: <irc://irc.freenode.net/#repoze>



Case Study: repoze.org configuration

repoze.kiss integrates Zope2 publisher with filesystem-based content

repoze.mmwsgi drives Mailman inside a WSGI app

Bug tracker: roundup (WSGI-aware)

Blog: pyblosxom (WSGI-aware)

repoze.plone

Grok applications: AnimalTree, Bookshelf, TodoList

All themed via a single static HTML page using Deliverance

Served from Apache + mod_wsgi



End

- Full-stop.
-
- Chris McDonough, chrism@agendaless.com
- Tres Seaver, tseaver@agendaless.com